- II. A LIST OF REFERENCES RELATING TO INDIAN ZOOLOGY (DEALING WITH GENERAL PARASITOLOGY, EXCLUDING HELMINTHOLOGY) PUBLISHED DURING THE YEARS 1938-1950.
- By B. S. Chauhan, MSc, PhD, FZS, FASc, FZSI, FHS, FAZ, Zoological Survey of India, Calcutta.

Introduction.

In an earlier part—A list of references relating to Indian Zoology (excluding Insecta, Fishes and Helminths) published in the Records of the Indian Museum, Vol. 51 (3) 1953, it was stated on page 428 that references relating to general Parasitology (excluding Helminthology) will be published in due course. The list presented herewith fulfils that promise. References generally important from zoological point of view only are included in the list. Papers dealing with entirely a medical or veterinary stand point (clinical, therapeutic, etc.) are generally omitted. It is needless to mention that in a work of this type it is almost impossible to present a fully complete list. Therefore, the author will feel grateful if omissions are brought to his notice for publication either as a supplement or for inclusion in future lists.

My best thanks are due to Shri G. Ramakrishna, Shri A. K. Bose and Shri S. Ghoshal, Librarian, Zoological Survey of India, for their kind help and cooperation in the matter, in various ways.

CONTENTS.

| | $\mathbf{Pag}\mathbf{e}$ |
|-----------|--------------------------|
| Protozoa | 367 |
| Crustacea | 382 |
| Arachnida | 384 |

BIBLIOGRAPHY¹.

PROTOZOA.

- Abdussalam, M. (1945).—Piroplasmosis of the domestic fowi in Northern India. *Indian J. Vet. Sci.*, **15**: 17-21.
- AYYANGAR, S. S. (1944).—Cutaneous trypanosomiasis in bovines. Indian Vet. J., 20(4): 195-196.
- Banerjee, B. N. (1944).—Trichomonas vaginalis infestation in a couple. Calcutta Med. J., 41(10-11): 303-306.
- Basu, B. C. (1938).—Studies on a malarial infection in a paddy bird. J. Malar. Inst. India, 1: 273-284, 1 pl., 1 text-fig.

¹ Owing to limitation of space, only a few, selected references are included here and the bibliography is therefore far from complete.

- Basu, B. C. (1939).—Studies on the biology of the malaria parasite (Plasmodium falciparum). J. Malar. Inst. India, 2: 155-157.

- ----- (1943).—Atmospheric temperature and humidity in relation to experimental transmission of malaria by Anopheles annularis. Proc. Indian Sci. Congr., 29(3): 171.
- - —— (1944a).—A note on Aegyptianella pullorum infection in fowls in India. Proc. Indian Sci. Congr., 31(3): 109.
- (1946).—Studies in malaria transmission. Calcutta Med. J., 43: 4-9, 48-71, 81-90.
- ---- (1947).—The frequency of distribution of gametocytes of the Indian strains of malaria parasites. *Indian J. Malar.*, 1: 123-127.
- ———— (1947a).—Abnormal development of malarial öocysts in Anopheles stephensi. Indian J. Malar., 1: 129-132.
- ——— (1948).—Studies in arthropod transmission of surra. *Proc.* Indian Sci. Congr., 34(3): 172.
- Basu, U. P. (1944).—Chemoprophylaxis in malaria. Curr. Sci., 13(5): 119-120.
- Bhatia, B. L. (1938).—Protozoa: Sporozoa. Fauna of British India, London: xx, 497, 2 pl., 12 text-figs.
- Bhatia, B. L. and Setna, S. B. (1939).—On some gregarine parasites from certain polychaete worms from the Andaman Islands. *Proc Indian Acad. Sci.*, B8(3): 231-242, 1 pl., 7 text-figs.
- Bhatt, H. R. (1949).—A note on a natural occurrence of sporozoites of *Plasmodium* in *Anopheles turkhudi* Liston. *Indian J. Malar.*, 3: 109-110.
- Bhattacharjee, T. (1943).—Giardiasis—a definite disease. *Indian Med. Gaz.*, 78(2): 91-92.
- Bhattacharya, B. K., Natarajan, S. and De, N. N. (1946).—Chemotherapy of some acridine derivatives in fowl malaria. *Curr. Sci.*, **15**(2): 44—45.
- Bose, A. N., Ghosh, J. K. and Rakshit, P. C. (1944).—A butyl acridine derivative in "Intestinal giardiasis". *Indian Med. Gaz.*, 79(12): 595-596.

- Bose, A. N., Ghosh. J. K. and Rakshit, P. C. (1944a).—On the efficacy of butyl acridine in the treatment of malaria. *Indian Med. Gaz.*, 79(12): 601-602.
- Bose, A. N. and Rakshit, P. (1944).—The effect of certain substituted quinoline and acridine compounds on the gametocytes of *Haemoproteus columbae*. Quart. J. Pharm., 17(4): 319-322.
- Brahmachari, P. N. (1942).—Post Kala-azar infection of the skin by Leishmania donovani. Indian J. Med. Res., 30: 485-492, 1 pl.
- Brahmachari, U. (1944).—Berberine in malaria. *Indian Med. Gaz.*, **79**(6): 259.
- Charrayarty, M. (1938).—Observations on the life-history of *Nina* navillae Mitra and Charrayarty, from the intestine of the centipede *Scolopendra* sp. *Arch. Protistenk.*, **90**: 502-506, 5 figs.

- ----- (1940).—Observations on two Myxosporidians Zschokkella lissemysin. sp. from the gall bladder of the tortoise. Lissemys punctata and Zschokkella auerbachi (Weill) from the gall bladder of Bufomelanostictus, with a note on the genus Zschokkella Auerback. J Asiat. Soc. Beng. (Sci.) 6(2): 69-76.

- CHAKRAVARTY, M. and BASU, S. P. (1946).—On a new coccidium *Tiyzzeria* alleni n. sp. from the intestine of the bird cotton-teal. Sci. & Cult., 12(2): 106.
- CHAKRAVARTY, M. and KAR, A. B. (1943).—Observations on two coccidia, *Eimeria trionyxae* n. sp. and *E. triangularis* n. sp. from the intestine of the turtle *Trionyx gangeticus* Cuv. *J. Asiat. Soc. Beng.* (Science), 9: 49-54.
- ———— (1944).—A new coccidian from the intestine of the fish Notopterus notopterus (Pallas). Curr. Sci., 13(2): 51.

- CHARRAVARTY, M. and KAR, A.B. (1944b).—Studies on the coccidia of Indian birds. II. Observations on several species of coccidia of the subfamilies Cyclosperinae and Eimeriinae. *Proc. Indian Acad. Sci.*, B20(3): 102-114.
- ---- (1944d).—A study on the coccidia of Indian birds. Proc. Roy. Soc. Edinb., B62: 225-233.
- ----- (1945).—Studies on Haemosporidia from Indian birds. Series I. J. Asiat. Soc. Beng. (Science), 11: 36-39.
- of coccidian öocysts. *Proc. Nat. Inst. Sci. India*, 12: 1-6.

- CHARRAVARTY, M. and MITRA, A. N. (1941).—Observations on Balan-tidium coli (Malmsten). Curr. Sci., 10(6): 294-295, 1 fig.
- CHATTERJEE, H. N. (1947).—A new method of demonstrating malarial parasites in the peripheral blood. *Trans. R. Soc. Trop. Med. Hyg.*, **40**: 510-513.
- in the peripheral blood. *Proc. Indian Sci. Congr.*, 33(3): 150.
- Chatterji, D. N. (1948).—Parasitic infestations in children. *Indian* J. Pediat., 15: 57-64.
- CHAUDHURI, R. N. (1943).—A note on giardiasis with steatorrhoea. Indian Med. Gaz., 78(6): 284-285.
- CHAUDHURI, R. N. and RAI CHAUDHURY, M. N. (1946).—An analytical study of intestinal protozoal infection with special reference to amoebiasis. *Indian Med. Gaz.*, 81: 230-234.
- Снорка, R. N. and Basu, B. C. (1941).—Malaria problem in Bengal. Proc. Indian Sci. Congr., 27(3): 204.
- Снорга, R. N. and Das Gupta, B. M. (1938).—A note on the therapeutic efficiency of solusceptasine in simian malaria (*P. knowlesi*). *Indian Med. Gaz.*, 73: 395-396.
- CHOPRA, R. N., DAS GUPTA, B. M. and SEN, B. (1938).—Studies on the action of synthetic antimalarial drugs on Indian strains of malaria. Cilional in the treatment of "crescent carriers." *Indian Med. Gaz.* 73: 667-669.
- CHOPRA, R. N., DAS GUPTA, B. M., SEN, B. and AHAMED, Z. (1939).—
 Infection with Giardia lamblia—Its pathogenicity and treatment.

 Indian Med. Gaz., 74: 458-460.

- CHOPRA, R. N., SEN. B. and GUPTA, J. C. (1941).—Induced malaria with heavy malignant tertian infection. *Indian Med. Gaz.*, 76: 350-352.
- Choudhury, H. K. N. (1943).—A note on *Hepatozoon canis*. *Indian Vet. J.*, **20**(1): 22.
- Das Gupta, B. M. (1939).—Some anomalies in the morphology of *Plasmodium vivax* occurring in a newborn baby. *Indian Med. Gaz.*, 74: 273-274.

- ———— (1944).—Knowles' Introduction to medical protozoology. 2nd ed. Cal.: xviii, 332 pp.
- DAS GUPTA, B. M. and CHATTERJEE, H. (1938).—Observations on a Bodo-like flagellate persistently occurring in the faeces of a human being. *Parasitology*, **30**: 56-60 9 figs.
- DAS GUPTA, B. M. and CHOPRA, R. N. (1938).—Studies on the action of systematic drugs on simian malaria. Sulphonamide derivatives. *Indian Med. Gaz.*, 73: 665-667.
- DAS GUPTA, B. M., and GANGULI, S. K. (1944).—Developing Gameto cytes and Schizonts of *Plasmodium falciparum*: a case showing all stages in the peripheral circulation. *Indian Med. Gaz.*, 79(10): 458-459.
- DAS GUPTA, B. M. and SIDDONS, L. B. (1941).—On a *Plasmodium* sp. of the Malay chestnut-bellied munia (*Munia atricapilla atricapilla* (Vieill.). *Indian Med. Gaz.*, 76: 148-150, 1 pl.

- ———— (1943b).—Studies on the action of different brands of atebrin in human and simian malaria. *Indian Med. Gaz.*, 78(6): 291-295.
- ———— (1944).—Organic arsenicals in the treatment of simian malaria.

 Indian Med. Gaz., 79(3): 99-101.
- DAS GUPTA, C. R. (1943).—Transmission of malaria through transfusion of blood. *Indian Med. Gaz.*, 78(8): 384-387.
- DAS GUPTA, M. (1938).—On a new coccidium Eimeria koormae n. sp. from the intestine of Indian tortoise, Lissemys punctata Smith. Arch. Protistenk., 90: 410-413; 8 figs.

- DAS GUPTA. M. (1938a).—Observations on a coccidium, Eimeria columbae n. sp. from the intestine of Indian pigeon, Columba intermedia. Arch. Protistenk., 91: 106-110.
- DE, N. N. and RAMASWAMY, A. S. (1948).—Anaemia in chicks infected with P. gallinaceum. Curr. Sci., 17: 237-238.
- Dhar, D. R. (1944).—Giardiasis as cause of intestinal trouble. *Indian Med. Rec.*, **64**(4): 105-107
- DIKSHIT, B. B. (1941).—Malaria immunity in the Rhesus monkey.

 J. Malar. Inst. India, 4: 199-206.
- DIKSHIT, B. B. and GANAPATHI, K. (1940).—Sulphathiazole in monkey malaria. J. Malar. Inst. India, 3: 525-529.
- DOVER, M. B. and AHMED, S. S. (1943).—The occurrence of oriental sore in the Hyderabad State. *Indian Med. Gaz.*, 78(6): 296-297.
- Ganapati, P. N. (1941).—The development and sporogony of a coccidian *Myriospora gopalai* n. sp. in the intestine of a Polychaete, *Cirratulus filiformis*. *Proc. Indian Sci. Congr.*, 27(3): 149.
- ----- (1945).—The development and sporogony of a coccidian Myrio-spora gopali n. sp. parasitic in the gut of the Polychaete, Cirratulus filiformis Keferstein. Proc. Indian Acad. Sci., B22(3): 144-163.
- --- (1946).—On Lecudina pellucida (Kolliker) Mingazzini (1891) from the gut of Nereis chilkaensis Southern. Proc. Indian Acad. Sci., B23(5): 228-248.
- Ganapati, P. N. and Tate, P. (1949).—On the gregarine Lankesteria culicis (Ross), 1898 from the mosquitoe Aedes (Finlaya) geniculatus (Olivier). Parasitology, 39: 291-294.
- Gноse, T. N. (1947).—On the trypanocidal activity of arsenicals. Sci. & Cult., 13: 157.
- HARDIKAR, S. W (1943).—Amoebic dysentery. Indian Med. Gaz. 78(5): 272.
- IYENGAR, M. O. T. (1939).—A year's work on dissection of Anopheles for natural malarial infection. J Malar. Inst. India, 2: 105-109.
- ----- (1940).—Further observations on vectors of malaria in Bengal and notes on the seasonal infectivity of Anopheles. J. Malar. Inst. India, 3: 115-123.
- JASWANT SINGH (1949).—Recent researches on antimalariasis: Review of progress. *Indian J. Malar.*, 3: 413-419.
- ——— (1950).—Antimalarial drugs. Indian J. Malar., 4: 185-188.

- JASWANT SINGH (1950a).—Technique of making blood smears and their staining in diagnosis of malaria. *Indian J. Malar.*, 4: 349-359.
- JASWANT SINGH and DAVID, A. (1949).—Staining and restaining of öccysts and sporozoites from infected mosquitoes. *Indian J. Malar.*, 3:349-352.
- JASWANT SINGH and HARWANT SINGH (1940).—Agglutination reactions with Plasmodium knowlesi. J. Malar. Inst. India, 3: 53-66.
- ---- (1940a).—Observations on immunity in monkey malaria as evidenced by the results of superinfections. J. Malar. Inst. India, 3: 99-114.
- JASWANT SINGH and NAIR, C. P. (1950).—Abnormal forms of *Plasmodium vivax* Grassi and Feletti, 1890. *Indian J. Malar.*, 4: 193-202.
- Jaswant Singh, Ramkrishnan, S. P. and Danial, A. (1950).—Trypanosomes and plasmodial sporozoites in the salivary glands of a laboratory bred C. fatigans Weid, 1928. Indian J. Malar., 4: 189-192.
- JASWANT SINGH, RAY, A. P. and NAIR, C. P. (1949).—Transmission experiments with P. knowlesi. Indian J. Malar., 3: 145-150.
- ----- (1949b).—Preliminary investigations on the chemotherapeutic activity of atebrin, paludrine, resochin, camoquin, metachloridine and aphacrine on simian malaria. *Indian J Malar.*, 3: 387-403.
- ————(1950).—Further observation in transmission of experiments with *P. knowlesi. Indian J. Malar.*, 4:317-336.
- JASWANT SINGH, RAY, A. P., NAIR, C. P. and BASU, P. C. (1949).— Screening of some biguanide derivatives for antimalarial activity. *Indian J. Malar.*, 8: 405-412.
- Kar, A. B. (1943).—Ovservations on two mammalian coccidia. Curr. Sci., 12 (12): 331.

- ----- (1947).—Some new chemical agents for control of rabbit coccidiosis. Curr. Sci., 16: 287-288.
- KAR, A. B. and CHARRAVARTY, M. (1943).—Observations on two new coccidians from the intestine of the turtle, *Trionyx gangeticus*. *Proc. Indian Sci. Congr.*, **30**(3): 57.

- Khajuria, H. (1950).—Cytological observations on some Indian parasitic protozoa. J. Zool. Soc. India, 2: 1-13.
- Knowles, R. and Basu, B. C. (1943).—Laboratory studies on the infectivity of *Anopheles stephensi*. J. Malar. Inst. India, 5(1): 1-29.
- Kholi, M. L. (1943).—Successful treatment of Hepatozoon canis with Novarson. Indian Vet. J., 20(1): 38-39.
- Krishnan, K. C. (1943).—Malaria from the treatment point of view, Sci. & Cult., 9: 83-86; 123-125.
- Kuppaswamy, A. R. (1941).—Experiment in Trypanosoma evansi. Indian Vet. J., 18: 59-74.
- LAHA, P. N. (1945).—Amoebiasis (historical aspect). Indian Med. Rec. 65(3): 53-55.
- MATHEW, M. L. (1939).—Anopheline transmitters of malaria in South Travancore. J. Malar. Inst. India, 2: 101-104.
- MENON, K. P., AYYER, P. V. S. and SHORTT, H. E. (1940-41).—Studies on Plasmodium gallinaceum. Report of King Inst.: 29-34.
- Menon, M. A. S. (1945).—Observations on the seasonal distribution of the plankton of the Trivandrum coast, (Dinoflagellate). *Proc.* Indian Acad. Sci., B 22(2): 31-62.
- Menon, P. K. (1945).—Giardiasis in adults. Antiseptic, 42(8): 454-455.
- MISRA, M. (1949).—Sobre el hallazgo de gregarines (esporozoa) ene estomago de les pulgars Ctenoceptalides felis Bouche (Aphamiptera) Rev. Sanid. Asist. Soc., 14: 745-748.
- MISRA, P. L. (1941).—Observations on a new gregarine, Stylocephalus bahlin. sp. from the alimentary canal of an Indian beetle, Gonocephalum heliopioides Frm. Proc. Indian Sci. Congr., 27(3): 149-150.
- ---- (1941a).—Observations on a new gregarine, Styplocephalus bahli, sp. nov. from the alimentary canal of an Indian beetle, Gonocephalum heliopioides Frm. Rec. Indian Mus., 43: 43-72
- ----- (1941b).—Observations on an intestinal flagellate, Tetratrichomastix hegneri sp. nov. from the "skipping frog" Rana limnocharis
 Meig. J. Asiat. Soc. Beng. (Sci.), 7(1): 25-33.
- from a beetle. Rec. Indian Mus., 44: 339-360, 1 fig.
- 1943).—Observation on an undescribed species of intestinal flagellate (*Tetratrichomastix*), from the skipping frog, *Rana limnocharis* Meig. *Proc. Indian Sci. Congr.*, 29(3): 147.
- ---- (1944).—On a new coccidian, Wenyonella bahli, n. sp. from the common grey quail Coturinx communis Bonn. Proc. Nat. Inst. Sci. India, 10(2): 203-204.

- MITRA, A. N. and CHAKRAVARTY, M. M. (1942).—Observations on Balantidium from the intestine of Hylobates hoolock. Proc. Indian Sci. Congr., 28(3): 170.
- Mohapatra, G. S. (1948).—Giardiasis in children. Indian Med. Gaz., 83: 14-17
- MUDALIAR, S. V (1945).—Studies on a variant of Trypanosoma evansi in a buffalo. Proc. Indian Acad. Sci., B 21(2): 101-105.
- MUDALIAR, S. V., ACHARYA, G. R., and ALWAR, V. S. (1950).—O a species of *Babesia* in an Indian wild cat (*Felis cutus*). *India Vet. J.*, **26**: 392-395.
- MUKERJEA, H. P. (1943).—Giardiasis. Indian Med. Rec., 62(10): 289-293.
- MUKERJI, A. and Das, D. N. (1945).—Preliminary report on canine coccidiosis and its treatment. *Indian vet. J.*, 21: 316-318.
- Mukerji, B., Ghosh, B. K. and Siddons, L. B. (1942).—Search for an antimalarial drug in the indigenous materia medica. Part I. Alstonia scholaris F. Br. Indian Med. Gaz., 77(12): 723-725.
- Mukerji, B., Ghosh, B. K. and Siddons, L. B. (1943).—The search for the antimalarial drug in the indigenous materia medica, Part II. Caesalpinia bonducella Flemming. Indian Med. Gaz., 78(6): 285-288.
- MULLIGAN, H. W., RUSSELL, P. F. and Mohan, B. N. (1940).—Specific agglutination of sporozoites. J. Malar. Inst. India, 3: 513-524.
- Mulligan, H. W., Sommerville, T. and Swaminath, C. S. (1940).— Cellular and humoral agencies in defence against malaria. J. Malar. Inst. India, 3: 563-579.
- by the administration of spleen extracts. J. Malar. Inst. India, 3: 581-590.
- ———— (1940b).—The effects of splenectomy on natural and acquired immunity in monkey malaria. J Malar. Inst. India, 3: 591-601.
- MULLIGAN, H. W and SWAMINATH, C. S. (1940).—Natural infection with *Plasmodium inui* in *Silenus sinicus* from South India. *J. Malar. Inst. India*, **3**: 603-604.
- NAIDU, V R., VASUDEVA RAO, A. and RAJOU, R. A. (1941).—Analysis of helminthic and protozoal infection in 500 consecutive inpatients. *Half-yrly*. J. Mysore Univ. N. S., 2B: 23-27.
- NARAYAN, A. (1947).—A case of mixed protozoal infection in a dog-Indian Vet. J., 23: 399-400.
- NIYOGI, A. K. (1942).—Complement fixation of human serum in Plasmodium vivax infection with Plasmodium knowlesi antigen. Ann. Biochem., 2: 51-54.

- Niyogi, A. K. (1942a).—Effect of *Plasmodium knowlesi* antigen on acute and chronic infections with the homologous strain of parasite in *M. rhesus*. Ann. Biochem., 2: 55-58.
- Niyogi, A. K. and Roy, A. N. (1942).—Observations on in vitro cultivation of Plasmodium knowlesi by a modified Bass and Johns method.

 Ann. Biochem., 2: 59-62.
- NORONHA, A. J. (1945).—A typical malarial gametocyte in the peripheral blood. *Indian Med. Gaz.*, 80: 298.
- Pande, P. G. (1941).—A natural case of cutaneous leishmaniasis in a bullock in Assam. *Indian J. Vet. Sci.*, 11: 98-104, 4 pls.
- Pant, K. C. and Ray, H. N. (1942).—Quinacrine in the eradication of Giardia lamblia infection. Indian Med. Gaz., 77: 469-470.
- PATEL, B. V. (1942).—Thiazole derivatives of sulphanilamide in monkey malaria. Curr. Sci., 11(5): 187.
- PATKAR, N. A. (1949).—Value of Row's medium for culture of Leishmania in Kala-azar. A Review. Indian Physician. 8(9): 261-264.
- RAGHAVAN, N. G. S. and MISRA, B. G. (1949).—A preliminary note on experimental infections of Avian malaria and sauropsidal filariasis in *C. fatigans* Weid, 1828. *Indian J. Malar.*, 3: 243-247.
- RAHIMUDDIN, M. (1941).—Sarcosporidiosis in cattle. Indian Vet. J. 18: 108-109.
- RAJAM, R. V. and RANGIAH, P.N. (1939).—An unusual case of cutaneous amoebic ulceration around the anus. *Indian Med. Gaz.*, 74: 746-748: 4 figs.
- RAJAKRISHNA MENON, P. N. (1944).—Trichodina sp. from the capsular glands of Ariophanta ligulata (Fer.) Curr. Sci., 13(6): 161-162.
- RAJU, M. L. and SWAMINATHAN, P. S. (1947).—Trypanosomiasis in Circus tigers. *Indian Vet. J.*, 24: 134-135.
- RAMAKRISHNAN, S. P. and PRAKASH, S. (1950).—Studies on *Plasmodium* berghei n. sp. Vincke and Lips 1948.—I. Variations in susceptibility in albino mice. *Indian J. Malar.*, 4: 361-367.
- RAMAN, T. K. (1940).—Plasmodium ovale in India. J. Indian Med. Ass., 9: 583-585.
- RAMASWAMY, A. S., RAO, R. R., KESHAVAMURTHY, N. K. and DE, N. N. (1950).—Antimalarial activity of aureomycin in blood induced infection in chicks. Curr. Sci., 19: 245-246.
- RAO, M. A. N. (1938).—A note on Plasmodium bubalis Sheather, 1919. Indian J. Vet. Sci., 8: 387-389.

- RAO, S. B. V (1946).—Trichomoniasis in young pigeons. *Indian Vet.* J., 22(5): 341-342.
- RAY, D. K. (1949).—On a new flagellate *Prowazekella hareni* n. sp. from the cæcum of Indian guinea-pig *Cavia cutleri* Bennet. *Proc. Indian Sci. Congr.*, **36**(3): 156.
- ---- (1949a).—On a Monocercomonoides nimiei n. sp., from the cæcum of Indian guinea-pig, Cavia cutleri Bennet. Proc. Indian Sci. Congr., 36(3): 155.
- ————(1950).—On two new species of flagellates, Monocercomonoides nimiei and Prowazekella hareni from the cæcum of Indian guineapig, Cavia cutleri Bennet. Proc. Zool Soc. Beng., 3: 163-167.
- RAY, D. K. and Singh, H. (1949).—On a new flagellate *Trichomonas* thukunei n. sp., from the cæcum of the Indian guinea-pig, Cavia cutleri Bennet. Proc. Zool. Soc. Beng., 2:65-70.
- RAY, H. N. (1941).—A preliminary note on the biometrical study of the relationship between trypanosomes of equine and bovine origin. *Proc. Indian Sci. Congr.*, 27(3): 206.
- ————(1945).—On a new coccidium Wenyonella gallinoe n. sp., from the gut of the domestic fowl, Gallus gallus domesticus Linn. Curr. Sci., 14: 275.
- ----(1945b).—A preliminary study on the biometrical relationship between the trypanosomes of equine and bovine origin in India. *Proc. Nat. Inst. Sci. India.*, 11(1): 21-25.
- --- (1946).—Protozoa affecting the health of the domesticated animals in India. *Proc. Indian Sci. Congr.*, **32**(2): 136-149.
- ———(1947).—Protozoal diseases and domesticated animals. Sci. & Cult., 13(4): 152.
- ----(1948).—Observations on the transmission of theiloriasis to their progeny by the ticks, *Hyalomma aegyptium* Newmann. *Proc. Indian Sci. Congr.*, **34**(3): 171.
- ———(1949).—Protozoa affecting the sheep and goats in India. *Indian.* Fmg, 10: 487-489.
- -----(1949a).—Application of allergic test in the detection of latency of surra in bovines artificially infected with *Trypanosoma evansi*. *Proc. Indian Sci. Congr.*, **35**(3): 80-90.
- ———(1949b). Demonstration of pre-erythrocytic stages of malaria parasite in the Himalayan flying squirrel, *Petaurista inornatus* (Geoff.). *Proc. Indian Sci. Congr.*, **36**(3): 179.
- ———(1949c).—Excerythrocytic schizogony in *Plasmodium* sp. in the Himalayan flying squirrel, *Petaurista inornatus* (Geoffray). A preliminary note. *Proc. Nat. Inst. Sci. India*, **15**(6): 241-244.
- ————(1949d).—A modification of Feulgen's technique for demonstrating protozoa in the salivary glands of ticks. *Proc. Nat. Inst. Sci. India*, 16(6): 245-247

- RAY, H. N. (1950).—Use of stilbamidine (M. & B. 744) in the diagnosis of latent trypanosomiasis in bovines. Sci. & Cult., 16: 33-34.
- RAY, H. N. and DAS GUPTA, M. (1938).—On a new coccidium, Eimeria stolatae n. sp. from the intestine of common Indian grass snake, Natrix stolata (Linn.). Arch. Protistenk, 90: 361-364.
- ----(1940).—Adelina schellacki n. sp., a coccidium from the intestine of the Indian centipede Cormocephalus dentipes. Parasitology, 32: 392-396.
- RAY, H. N. and IDNANI, J. A. (1945).—Observations on the forms of *Babesia gibsoni* (Patton) in the dog; with a note on the systematic position of the parasite. *Indian J. Vet. Sci.*, 13: 267-273.
- RAY, H. N. and Lall, H. K. (1944).—Studies on surra. II. Two autopsies. A horse and a dog dying of experimental infection with *Trypanosoma evansi*. *Proc. Indian Sci. Congr.*, **31**(3): 108-109.
- RAY, H. N. and MISRA. P L. (1948).—On a new coccidium, Eimeria himalayanum n. sp., from the intestine of a Himalayan toad Bufo himalayanus Boul. Proc. Nat. Inst. Sci. India, 9(2): 265-269.
- RAY, H. N. and MUDALIAR., S. V (1944).—The present position of cattle surra in India and some problems connected with this disease. *Proc. Indian Sci. Congr.*, 31(3): 84.
- RAY, H. N. and RAGHAVACHARI, K. (1941).—Observations on Babesia foliata n. sp. from a sheep. Indian J. Vet. Sci., 11: 239-242, 1 pl.

- RAY, H. N. and SAPRE, S. N. (1944).—Studies in surra. III. The problem of detecting surra in equines and bovines. *Proc. Indian Sci. Congr.*, **31**(3): 109.
- from the intestine of the Himalayan crow, Corvus levaillenti intermedius, Adams. Proc. Indian Acad. Sci., B 21(3): 186-189.
- RAY, H. N. and SINGH, H. (1948).—Effect of pantothenic acid on the infection of *Trypanosoma evansi* in rats. Nature, Lond., 162:849.

- RAY, H. N. and SINGH, H. (1948a).—Occurrence of Isospora dirumpens Hoare in the intestine of the grass snake, Natrix platyceps at Mukteswar. Sci. & Cult., 15: 119-120.
- ----- (1949).—On a new coccidium, Eimeria petauristæ n. sp., from the intestine of a Himalayan flying squirrel Petaurista inornatus (Geoff.). Proc. Zool. Soc. Beng., 3:65-70.
- ----- (1949a).—Occurrence of *Isospora dirumpens* Hoare in the infestation of the grass snake *Natrix piscator*, at Mukteswar. *Proc. Indian Sci. Congr.*, **35**(3):191.
- RAY, J. C., MUKERJEE, S. and ROY, A. N. (1941).—Agglutination reaction in experimental animals in response to *Plasmodium knowlesi* antigen., *Ann. Biochem.*, 1: 207-218.
- ———— (1941a).—Complement fixation reaction in experimental animals in response to *Plasmodium knowlesi* antigen. *Ann. Biochem.*, **1**: 101-115.
- Roy, D. N. (1938).—A note on Shute's technique of enumerating sporozoites in an emulsion of salivary glands. J. Malar. Inst. India, 1:335-337
- ———— (1943).—The role of Anopheles subpictus Grassi as a carrier of malaria. J. Malar. Inst. India, 5(1): 117-121.
- Russell, P. F. and Menon, P. B. (1942).—On the transmission of *Plasmodium gallinaceum* to mosquitoes. *Amer. J. Trop. Med.*, 22:559-563.
- Russell, P. F. and Mohan, B. N. (1939).—On experimental malaria infections in certain *Anopheles* of South Eastern India. *J. Malar. Inst. India*, 2: 425-431.
- ——— (1939a).—Staining malaria öocysts in living mosquitoes. J. Parasit., 25: 278-279.

- reference to Plasmodium gallinaceum. J. Parasit., 28: 127-129.
- Russell, P. F., Mohan, B. N. and Putnam, P. (1943).—Some observations on spleen volume in domestic fowls in the course of *Plasmo-dium gallinaceum* studies. *J. Parasit.*, **29** (3): 208-216.
- Russell, F. F., Mulligan, H. W and Mohan, B. N. (1941).—Specific agglutinogenic properties of inactivated sporozoites of *P. gallinaceum*. *J. Malar. Inst. India*, **4**: 15-24.

- Russell, P. F., Mulligan, H. W., and Mohan, B. N. (1942).—Active immunization of fowls against sporozoites, but not trophozoites, of *Plasmodium gallinaceum* by injections of homologous sporozoites. J. Malar. Inst. India, 4: 311-319.
- Russell, P. F., Rao, T. R. and Jacob, U. P. (1939).—Anopheles subpictus Grassi, 1899 and Anopheles vagus Donitz, 1902, found naturally infected with malaria plasmodia in South Eastern India. J. Malar. Inst. India, 2: 95-99.
- Russell, P. F. and Rao, T. R. (1940).—Natural malaria infections in some South Indian Anophelines, with special reference to A. culicifacies. J. Malar. Inst. India, 3:543-562.
- Russell, P. F., Sweet, W. C. and Menon, M. K. (1939).—Some observations on malaria parasite rates in infants in South India. J. Malar. Inst. India, 2:439-455.
- SAMPATH, A. and LITTLE, P. (1949).—Cultivation of Trypanosoma cruzi in liquid media. J. Bact., 57(2): 265.
- Sankaranarayan, N. S. (1949).—Intestinal trichomoniasis in calves. Proc. Indian Sci. Congr., 35(3): 87-88.
- SAPRE, S. N. (1944).—On a new flagellate, *Hexamastix agamæ* n. sp. from the alimentary canal of the lizard, *Agama tuberculata* Gray. *Proc. Nat. Inst. Sci. India*, **10**(3): 301-303.
- SARKAR, H. L. (1946).—On a protozoan parasite, Myxobolus mrigalæ Chakravarty found infecting the fry of Cirrhina mrigala (Ham.) Curr. Sci., 15(4): 111-112.
- SEETHARAMA IYER, P. V., SHORTT, H. E., and MENON, K. P. (1941).—
 The stage of *Plasmodium gallinaceum* found in the incubation period. Second observation. *J Malar. Inst. India*, **4**: 179-180.
- SEN, P. (1942).—On the Microsporidia infesting some Anophelines of India. J Malar. Inst. India, 4: 257-261, 1 pl.
- SEN, S. and BASU, B. C. (1947).—Incidence of Malaria in Calcutta city. *Indian Med. Gaz.*, 82: 195-199.
- SEN GUPTA, P. C. (1947).—History of Kala-azar in India. Indian Med. Gaz., 82: 281-286.

- Shah, M. H. (1941).—Report on the epidemic of oriental sore in Delhi. Indian Med. Gaz., 76: 449-457.
- Shariff, M. (1938).—Diseases transmitted by the Indian species of ticks and the possibility of their prevention through biological control. *Indian J. Vet. Sci.*, 8:353-366.
- SHORTT, H. E. (1945).—Recent research on Kala-azar in India. Trans. R. Soc. Trop. Med. Hyg., 39: 13-31.

- SHORTY, H. E., MENON, K. P. and IYER, P. V S. (1940).—The form of *Plasmodium gallinaceum* present in the incubation period of the infection. *Indian J. Med. Res.*, 28: 273-276.
- SHORT, H. E. and SEETHARAMA IYER, P. V (1941).—The natural host of Plasmodium gallinaceum (Brumpt). J. Malar. Inst. India, 4:175-178.
- SINGH, B. N. (1942).—Selection of bacterial food by soil flagellates and amœbæ. Ann. Appl. Biol., 29(1): 18-22.
- ------ (1945).—The selection of bacterial food by soil amœbæ, and the toxic effects of bacterial pigments and other products on soil protozoa. *Brit. J Exp. Path.*, **26**(5): 316-325.
- ----- (1946).—A method of estimating the numbers of soil protozoa, especially amœbæ, based on their differential feeding on bacteria.

 Ann. Appl. Biol., 33(1): 112-119.
- Sinha, H. S. (1945).—A copper sulphate floatation method for the examination of *E. histolytica* cysts. *Indian Med. Gaz.*, 80: 619-621.
- SIVALINGAM, V (1938).—Enumerative studies in benign tertian malaria. Indian Med. Gaz., 73: 715-720.
- SRINIVASAN, V R., RAMASWAMY, A. S., RAMAMURTHY, V., RAO, R. R. and DE, N. N. (1950).—Studies in host parasite relationship in untreated chicks infected with *P. gallinaceum. Curr. Sci.*, 19:56-58.
- STRICKLAND, C., SEN GUPTA, S. C. and MAZUMDAR, P. C. (1939).—
 Further observations on the seasonal infectivity of mosquitoes as determined by a study of the incidence of infantile malaria.

 Trans. R. Soc. Trop. Med. Hyg., 33: 69-74.
- SWAMINATH, C. S., SHORTT, H. E. and Anderson, L. A. P. (1942).—
 Transmission of Indian Kala-azar to man by the bites of *Phle-botomus argentipes*, Ann. & Brun. *Indian J. Med. Res.*, **30**: 473-477
- TRIPATHI, Y. R. (1948).—Some new Myxosporidia from Plymouth with a proposed new classification of the order. *Parasitology*, 39: 110-118.
- Uttangi, J. C. (1948).—Note on Nyctotherus cochlearis nov. sp. from Rana curtipes Jerdon. Curr. Sci., 17(11): 325-327.
- ---- (1948a).—Contribution to the study of the infusorian parasites of frogs and toads of the Karnatak. *Proc. Indian Sci. Congr.*, **34**(3): 172.
- VEERARAGHAVAN, N. A. (1944).—A protozoan parasite of the central nervous system. *Indian J. Med. Res.*, 32: 207-222.

- VEERARAGHAVAN, N. A. (1945).—Cultivation of a protozoal parasite of the central nervous system in vitro and its relationship to rabies. *Indian J. Med. Res.*, 33: 285-293.
- VERMA, R. N. (1945).—Malarial infection in the new-born. *Indian Med. Gaz.*, 80: 514.
- VISWANATHAN, D. K. (1945).—Studies on malaria in infants in North Kanara district, Bombay Presidency. J. Malar. Inst. India, 6(1): 1-15.
- VISWANATHAN, D. K. and BHATT, H. R. (1948).—A new species of Protozoa met with in the salivary glands of A. culicifacies, Giles, in the course of routine malaria survey, Trypanosoma (Sic.) kalwanensis Viswanathan & Bhatt. J. Nat. Malar. Soc., 7: 207-211.
- VISWANATHAN, D. K., DAS, S. and OOMMEN, A. V (1941).—Malaria-carrying Anophelines in Assam, with special reference to the results of twelve month's dissections. J. Malar. Inst. India, 4:297-306.
- WHITE, R. S. and ADHIKARI, A. K. (1940).—On malaria transmission in the eastern Satpura ranges. J Malar. Inst. India, 3:383-411.
- WHITE, R. S. and APPAL NARAYANA, P. (1940).—On malaria transmission in the Singhbhum Hills. Part II. An experiment with trapnets. J. Malar. Inst. India, 3: 413-425.

CRUSTACEA.

- CHANDY, M. (1939).—The histology and physiology of the intestine and hepatopancreas of two isopods, *Ligia exotica* Roux and *Armadillo elevatus* Verhoeff. J. Asiat. Soc. Beng. Sci., 4: 1-16.
- CHIDAMBARAM, K. and MENON, M. D. (1945).—The isopod parasite, Nerocila sundaica on west coast food fishes. Curr. Sci., 14 (1): 308.
- George, A. I. (1943).—Preliminary observations on the occurrence of a new sp. of Rhizocephala on Neptunus pelagicus from Madras coast. Proc. Indian Sci. Congr., 30(3): 48. (Abstract.)
- George, M. J. (1949).—Early stages in the development of Sacculina sp. on Neptunus sanguinolentus from Madras. Proc. Indian Acad. Sci., B. 30 (4): 207-214.
- George, P. C. (1947).—Megacepon chopræ gen. et. sp. nov., a bopyrid isopod from the gill chamber of Sesarma tetragonum (Fabr.). Rec. Indian Mus., 44: 385-390.
- GNANAMUTHU, C. P. (1947).—Caligus sciænæ n. sp. parasitic on Sciæna glauca from Madras. Proc. Indian Acad. Sci., B 25(2): 43-49.
- of Dussumieria acuta. Proc. Indian Acad. Sci., B 27(1): 18-25.

- GNANAMUTHU, C. P. (1948b).—Notes on the anatomy and physiology of Caligus savala n. sp., a parasitic copepod from Madras. Proc. zool. Soc. Lond., 118: 591-606.
- ----- (1949).—Sex differences in four genera of copepods parasitic on Indian fishes. *Proc. Indian Sci. Congr.*, **35**(3): 194.
- ——— (1949a).—Two male parasitic copepods from Madras. Ann. Mag. nat. Hist., 12(2): 359-367.
- n. sp., from the gills of a Madras fish. Parasitology, 39: 209-213.
- on the gills of the fish Sciena glauca from Madras. Rec. Indian Mus., 45: 291-298.
- ---- (1949d).—Bomolochus multispinosa, sp. nov.: An Ergasilid copepod observed in copulation. Rec. Indian Mus., 45: 309-319.
- ---- (1950).—Three new copepod parasites of the ribbon fish from South India. J. Parasit., 36(2):113-119.
- --- (1950a).—Lernacopoda stromatis n. sp., a copepod parasite of the grey pomfret. Proc. Indian Acad. Sci., 31(3): 175-180.

- GNANAMUTHU, C. P. and Krishnaswamy, S. (1948).—Isopod parasites of free living copepods of Madras. *Proc. Indian Acad. Sci.*, B 27(5): 119-126.
- Hora, S. L. (1943).—The fish louse Argulus foliaceous Linn., causing heavy mortality among carp fisheries in Bengal. Proc. Indian Sci. Congr., 30(3): 66-67.
- JACOB, P. K. and MENON, M. D. (1947).—Copepods of the West Hill Sea. *Proc. Indian Acad. Sci.*, B **26**(6): 177-194.
- JAIN, R. K. (1944).—Spermatogenesis of Porcellio sp. Proc. Indian Sci. Congr., 31:82.
- Khan, H. (1944).—Study in diseases of fish. Infestation of fish with leeches and fish lice. *Proc. Indian Acad. Sci.*, B. 19(5): 117-175.
- Krishnaswamy, S. (1949).—The development of Harpacticid copepod, Macrostella gracilis (Dana). Curr. Sci., 18(3): 78.
- PANIKKAR, N. K. and Sproston, N. G. (1941).—Osmotic relations of some metazoan parasites. (Lernæocera, Bopyrus). Parasitology, 33: 214-223.
- RANGNEKAR, P. G. and MURTHI, N. N. (1950).—A note on the transfer of Caligus formicoides to the gonus Parapetalus. J. Univ. Bombay, B 19(3): 43-53.

- RANGNEKAR, P. G. and Murthi, N. N. (1950a).—A new caligid copeped parasitic on the fish Clupea toli. J. Univ. Bombay, N.S. 18B(5): 21-28.
- RAO, T. S. S. (1950).—On a new caligid parasite from the Indian hammer-head shark. *Proc. Indian Acad. Sci.* B, **31**(6): 302-307.
- REDKAR, M. C., RANGNEKAR, P. G. and MURTHI, N. N. (1949).—Four new species of parasitic copepods from the marine fishes of Bombay. J. Univ. Bembay., N.S. 18B(3): 36-50.

ARACHNIDA.

- Abdussalam, M. (1939).—On a new feather mite parasitic on the Indian domestic fowl (Gallus bankiva murghi). Vet. J., 95: 39-42.

- Anantharaman, M. (1948).—Oribatid mites and their economic importance. Nature, Lond., 161 (4089): 409-410.
- Baker, E. W. (1945).—Scheloribates chauhani, a new species of mite from India. (Acarina: Ceratozetidae). J. Wash. Acad. Sci., 35(12): 386-387
- Basu, B. C. (1943).—Ticks—Carriers of disease. *Indian Fmg*, **4**(4): 192-193.
- ---- (1950).—The evolution of applied entomology in India and its future. *Proc. Indian Sci. Congr.*, 37 (2): 151-173.
- BIIATTACHARJEE, J. (1939).—Ectoparasites of domesticated animals in Burma. Indian J vet. Sci., 9: 437-442.
- GOVINDA RAU, K., GOVIL, J. L. and SINGH, R. P. (1947).—D.D.T. and its tickicidal value on dogs. *Indian vet. J.*, **24**(2): 109-119.
- IYER, S. G. and HASHMI, Z. A. (1945).—A note on derris dressing of young chicks for the control of seed ticks (Larvæ of Argas persicus Oken). Indian J. vet. Sci., 15(1): 79.
- KAURA, R. L. and IYER, S. G. (1938).—The occurrence of air sac mite, Cytoleichus nudus (Vizioli, 1870) in fowls in India. Indian J. vet. Sci., 7: 299-301; 1 pl.
- KHAN, M. H. and BHATIA, S. C. (1946).—Some observations on sugar cane mite and its effective predator in Sind. *Curr. Sci.*, 15(7): 186-187.
- KHANNA, H. L. and BANDYOPADHYAY, K. S. (1950).—Studies in sampling technique. Part 3. Estimation of mite incidence in sugarcane. *Proc. Indian Acad. Sci.*, 31(2):111-119.
- KHANNA, H. L. and RAMANATHAN, K. R. (1947).—Studies in the association of plant characters and pest incidence. 1. Nature of leaf

- surface and mite attack in sugarcane. Proc. nat. Inst. Sci. India, 13(6): 327-329.
- Krishnan, K. V., Smith, R. O. A., Bose, P. N., Neogy, K. N., Roy, B. K. G. and Ghosh, M. (1949).—The breeding and maintenance of *Trombicula deliensis* in the laboratory for experimental purposes *Indian med. Gaz.*, **84**(2): 39-41.

- Mehta, D. R. (1949).—Studies on typhus in the Simla Hills. Pt. IX. On the life history of *Trombicula deliensis*, Walck, a suspected vector of typhus in the Simla Hills. *Indian J med. Res.*, **36**(2): 159-171.
- RAGHAVACHARI, K., ABBAS, ALI S. and RAY, H. N. (1946).—Control of acute Theileriasis in calves in the Punjab. *Indian J vet. Sci.*, 15(2): 149-151.
- RAHMAN, K. A. and SAPRA, A. N. (1940).—Mites of the family Tetrany chidæ from Lyallpur with descriptions of four new species. *Proc. Indian Acad. Sci.*, B 11(5): 177-196, 6 text-figs.
- pest of sugar cane in the Punjab. Indian J Ent., 2: 201-?.
- RAO, K. N. A. and Kulra, S. L. (1949).—Tick-borne relapsing fever in Kashmir. Curr. Sci., 18(7): 249.
- --- (1949a).—Tick-borne relapsing fever in Kashmir. Indian J med. Res., 37: 385-394.
- RAY, H. N. and BHATTACHARYA, A. (1948).—A simple method of cutting serial sections of ticks. *Indian med. Gaz.*, 83(4): 181-182.
- RUDRAIYA, M. P. (1947).—A note on the occurrence of the mite, Paratetranychus indicus H. on Jawar (Andropogen sorghum) and its predators in Mysore. Curr. Sci., 16(2): 60-61.
- RUNKEL, C. E. and Kates, K. C. (1947).—A new intermediate host *Protoschelolates signetti*, n. sp., Acarina: Scheloribatidae of the sheep tapeworm, *Monievia expansa*. *Proc. helm. Soc. Wash.*, 14 (2): 64-67.
- SAFRA, A. N. (1940).—Bryobia sp. (Acarina), on Chrysanthemum in the Punjab. Indian J. Ent., 2:96.
- tyedra gossypiella. Indian J. Ent., 3(1): 142.
- SAPRE, S. N. (1940).—The life history of Boophilus australis (Füller i. Indian J. vet. Sci., 10: 346-354.

- SAPRE, S. N. (1945).—Some observations on the life history of the dog tick Rhipicephalus sanguineus (Lau.) at Mukteswar. Indian J vet. Sci., 14(2): 11-112.
- SAVOOR, S. R. and DAS MENON, P. (1947).—Scrub typhus (Tsutsugamushi) disease in Bombay. *Indian med. Gaz.*, 82(12): 752-756.
- SAXENA, R. D. (1942).—Eriophyes presopidis sp. nov., a new gall forming mite from India. Indian J Ent., 4(2): 215.
- SEN, P. (1938).—A check and host list of Ixodoidea (Ticks) occurring in India. Indian J vet. Sci., 8: 133-147
- ------ (1940).—A note on some ectoparasites of poultry and their control. *Indian J vet. Sci.*, **10**: 218-222.
- SEN, S. K. (1941).—A method of cutting sections of ticks and insects. *Indian J Ent.*, 3:51-54.
- Shariff, M. (1938).—Medical and veterinary importance of fleas and ticks, and the possibilities of their centrol. Curr. Sci., 7(1): 11-15.
- ---- (1938a), Diseases transmitted by the Indian species of ticks and the possibility of their prevention through biological control. *Indian J vet. Sci.*, 8: 353-366.
- Sharma, G. P. (1944).—Spermatogenesis of the fowl tick, Argas persious (Oken). Proc. Indian Sci. Congr., 31:82-83.
- Soni, B. N. (1939).—Damage to hides caused by cattle ticks in India. Indian J vet. Sci., 9(4): 361-365, 1 pl.
- --- (1947).—Tick menace in India and its control. Indian Fmg, 8(11): 565-566.